

JUMP STARTER & AIR INFLATOR

JA301

Two in One 20000mAh
150PSI



LOKITHOR

DESIGNED BY SHENZHEN GREPOW BATTERY CO., LTD

LOKITHOR



- | | |
|------------------------------|---|
| ① LED Light | ⑥ The Button for Presetting Tire Pressure |
| ② LED Light Switch | ⑦ Air Inflator Start-stop Button |
| ③ Power Button | ⑧ Type-C Charge Port / USB-A Discharge Port |
| ④ BAR/PSI Unit Switch Button | ⑨ EC8 Starting Port |
| ⑤ Display | ⑩ Air Inflator Output Port |

JUMP STARTER & AIR INFLATOR TWO IN ONE

Parameter Specification:

Battery Capacity	20000mAh (74Wh)
Starting Voltage	12V
Starting Current	1000A
Peak Current	2000A
Pressure Range	10~150 psi
Sensor Accuracy	± 2psi
Input	USB-C 5V/3A, 9V/2A
Output	USB-A 5V/3A, 9V/2A
Polarity	Red(+), Black(-)
Charging Temp	0℃ to 45℃
Operating Temp	-20℃ to 50℃
Storage Temp	-20℃ to 50℃
Battery life	>1000 cycles in good condition
Charging Time	4 to 7.5 Hours
Product Size	249*142*103mm
Weight	1.77KG

Main Feature:

- 1) **Jump Starter**
Up to 8-Liter gasoline and 6-Liter diesel
12 V engines
- 2) **Air Inflator**
Max. 150 PSI
- 3) **LED Lighting**
300 LUMENS
3 Modes: Constant Light/Strobe/SOS
- 4) **Power bank**
USB-A*1 (QC3.0, 5V3A, 9V2A)

Certification

FC CE RoHS UN38.3



12V Jump Starter

Test your car battery's voltage even in emergency situations, and jumpstart your car reliably. Utilizing Grepow's high-quality batteries, this jump starter ensures reliability, safety, and power! Operation is efficient with the one-button push, and the BMS allows for a safer product.



Air Inflator

Portable air inflator without too many extra parts. Ability to inflate from 10psi up to 150psi. Great capacity and endurance: fill up at least 5 tires!



LED Flashlight

Up to 160 degree ultra wide angle with 300 lumens of brightness. It supports lighting/strobe/SOS different modes.



Power Bank


Charge your devices on-the-go with the built-in USB port that meets the needs of a variety of devices.



Patented Design



Adopting vibration-damping technology, the JA301 is well-balanced and structurally sound. The design ensures stable operation even in extreme environments of -20°C to 50°C. It can endure through high humidity and wayward salt spray, sand, and dust as well!



LOKITHOR